**PHILIPPINE BIDDING DOCUMENTS** (As Harmonized with Development Partners)

# Procurement of Contractor for the Renovation of Unit 18-N, Legaspi Towers 300, Roxas Boulevard, City of Manila

Procurement No.: PMO-02-2021

Government of the Republic of the Philippines

Sixth Edition July 2020

### **TABLE OF CONTENTS**

Glossa	ry of Terms, Abbreviations, and Acronyms	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	10
1.	Scope of Bid	10
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	10
5.	Eligible Bidders	11
6.	Origin of Associated Goods	11
7.	Subcontracts	11
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents Comprising the Bid: Eligibility and Technical Components	12
11.	Documents Comprising the Bid: Financial Component	13
12.	Alternative Bids	13
13.	Bid Prices	13
14.	Bid and Payment Currencies	13
15.	Bid Security	13
16.	Sealing and Marking of Bids	14
17.	Deadline for Submission of Bids	14
18.	Opening and Preliminary Examination of Bids	14
19.	Detailed Evaluation and Comparison of Bids	14
20.	Post Qualification	15
21.	Signing of the Contract	15
Section	III. Bid Data Sheet	16
Section	IV. General Conditions of Contract	18
1.	Scope of Contract	18
2.	Sectional Completion of Works	18
3.	Possession of Site	18
4.	The Contractor's Obligations	18
5.	Performance Security	19
6.	Site Investigation Reports	19

7.	Warranty	.19
8.	Liability of the Contractor	.19
9.	Termination for Other Causes	.19
10.	Dayworks	.20
11.	Program of Work	.20
12.	Instructions, Inspections and Audits	.20
13.	Advance Payment	.20
14.	Progress Payments	.20
15.	Operating and Maintenance Manuals	.21
Section	V. Special Conditions of Contract	22
Section	VI. Specifications	23
Section	VII. Drawings	32
Section	VIII. Bill of Quantities	33
Section	IX. Checklist of Technical and Financial Documents	34

### Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

**DTI** – Department of Trade and Industry.

**Foreign-funded Procurement or Foreign-Assisted Project** – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid



104 Gamboa Street, Legaspi Village, Makati City

### Invitation to Bid for the Procurement of Contractor for the Renovation of Unit 18-N, Legaspi Towers 300, Roxas Boulevard, City of Manila

- The Custodianship Services Division (CSD) of the Privatization and Management Office (PMO), through the PMO Retention Fund FY 2021 intends to apply the sum of One Million Nine Hundred Fifty Thousand Pesos (Php1,950,000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the Renovation of Unit 18-N, Legaspi Towers 300, Roxas Boulevard, City of Manila. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **PMO**, through the PMO Bids and Awards Committee (PMO-BAC), now invites bids for the above Procurement Project. Completion of the Works is required within a period of sixty (60) working days, Mondays to Fridays, except Holidays. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. A complete set of Bidding Documents may be acquired by interested bidders starting on 13 January 2021, Wednesday from 7:00 A.M. to 2:00 P.M., Mondays to Fridays, except Wednesdays and holidays from the PMO-BAC Secretariat at the Privatization and Management Office, 104 Gamboa St., Legaspi Village, Makati City and upon payment of Five Thousand Pesos (Php5,000.00), pursuant to the latest Guidelines on the Sale of Bidding Documents issued by the GPPB. It can also be downloaded free of charge at the PhilGEPS and PMO websites, however, payment of Bidding Documents fee must be made before the deadline for submission and receipt of bids. The Bidder shall present its proof of payment during the scheduled bid opening.
- 5. The PMO-BAC will hold a Pre-Bid Conference on **21 January 2021, Thursday at 10:00 A.M.** through videoconferencing via Zoom. Zoom link shall be provided to prospective bidders.
- 6. Bids must be duly received by the PMO-BAC Secretariat through manual submission at the **Ground Floor of the Privation and Management Office**, **104 Gamboa St.**, **Legaspi Village**, **Makati City** on or before **02 February 2021**, **Tuesday**, **10:00 A.M.** Late bids shall not be accepted.

- 7. Each Bidder shall submit two (2) copies of the first and second components of its Bid sealed in one (1) envelope. A scanned copy of the Bids shall be presented by the Bidder, through screen sharing, during the scheduled opening of bids for verification purposes.
- 8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
- 9. Bid opening shall be on 02 February 2021, Tuesday, 10:00 A.M. to be facilitated by the PMO-BAC Secretariat and Members of the PMO-Technical Working Group (PMO-TWG) at the Privatization and Management Office, 104 Gamboa St., Legaspi Village, Makati City and to be attended by the members of the PMO-BAC, End-User, and Observers through videoconferencing via Zoom. Bids will be opened in the presence of the bidders' representative/s duly authorized to attend the activity also through Zoom Videoconference. Zoom link shall be provided to the Bidders upon receipt of their Bid.
- The PMO-BAC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- Interested bidders may obtain further information from the PMO-BAC, through the PMO-BAC Secretariat, at telephone number 8893-7096 or through <u>BAC@pmo.gov.ph</u>, during office hours from 7:00 A.M. to 2:00 P.M., Mondays to Fridays, except Wednesdays.

Issued this 12<sup>th</sup> day of January 2021.

MELINDA B. CORTEZ Chairperson, PMO-BAC

### Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, **Privatization and Management Office Bids and Awards Committee (PMO-BAC)** invites Bids for the Supply of Labor and Materials for the Renovation of Unit 18-N, Legaspi Towers 300, Roxas Boulevard, City of Manila, with Project Identification Number **PMO-02-2021**.

The Procurement Project (referred to herein as "Project") is for the implementation of Works, as described in Section VI (Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **FY 2021** in the amount of **One Million Nine Hundred Fifty Thousand Pesos** (**Php1,950,000.00**).
- 2.2. The source of funding is:
  - a. PMO Revolving/Retention Fund.

#### **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

#### 7. Subcontracts

- 7.1. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed fifty percent (50%) of the contracted Works.
- 7.2. The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.1. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible

for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time through Zoom videoconferencing as indicated in paragraph 5 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

#### **11.** Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### **12.** Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

#### 13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

#### 14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in Philippine Pesos.

#### 15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until **February 28, 2021**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and at its physical address as indicated in paragraph 6 of the **IB**.

#### 18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **19.** Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

### 20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

ITB Clause			
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be:		
	Interior Fit-out Works		
	<ul> <li>Tile Installation – Installation of floor and wall tiles as per project requirements.</li> <li>Plumbing Works – Installation and correction of sanitary and plumbing pipe lines.</li> <li>Painting Works – Application of various paints and sundries as per project requirements.</li> <li>Utility Works – Installation and laying of electrical lines relative to the project as per construction standards.</li> <li>Drywall Construction – Installation and assembly of drywall partitions as per construction standards.</li> </ul>		
	Assembly and Installat	tion of Furniture	
7.1	Glass fabrication and Installation – 100% of the work to be subcontracted Waterproofing Application – 100% of the work to be subcontracted Electrical Works – 100% of the work to be subcontracted Sanitary and Plumbing – 100% of the work to be subcontracted Equipment Supply and Installation – 100% of the work to be subcontracted		
10.3	No further instruction.		
10.4	10.4 The key personnel must meet the required minimum years of experience below:		n years of experience set
	<u>Key Personnel</u> Technical Supervisor Foreman Painter Electrician Mason Carpenter Plumber	<u>General Experience</u> Engineer/ Architect Fitout and Construction Works Fitout and Construction Works	Relevant Experience 5 Years 10 Years 5 Years 5 Years 5 Years 5 Years 5 Years 5 Years 5 Years
10.5		quipment requirements are the	
	<u>Equipment</u> 4" Angle Grinder Air compressor Drill	Capacity 670 watts 0.5 hp 600 watts	Number of Units 2 units 1 unit 2 units
12	Not Applicable.		
15.1	The bid security shall t following forms and an	be in the form of a Bid Securing mounts:	Declaration or any of the

	a. The amount of not less than <b>Php 39,000.00</b> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;
	b. The amount of not less than <b>Php 97,500.00</b> , if bid security is in Surety Bond.
19.2	Partial bids are not allowed.
20	Company Profile
21	Construction schedule and S-curve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling.

# Section IV. General Conditions of Contract

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

#### 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

#### **3. Possession of Site**

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

#### 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

#### 5. **Performance Security**

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

#### 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

#### 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

#### 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

#### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

#### 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

#### 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

#### 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

#### **13.** Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

#### 14. **Progress Payments**

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

#### **15.** Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

# Section V. Special Conditions of Contract

GCC Clause	
2	Not Applicable.
3.1	Upon receipt of the Notice to Proceed (NtP).
6	Not Applicable.
7.2	One (1) year.
10	No dayworks are applicable to the contract.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within seven (7) calendar days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is Five Hundred Pesos (Php 500.00) per day for every day of delay.
13	The amount of the advance payment shall not exceed 15% of the total contract price.
14	No further instructions.
15.1	The date by which operating and maintenance manuals are required is within one (1) week after project turnover.
	The date by which "as built" drawings are required is within two (2) weeks after project turnover.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is Five Hundred Pesos (Php 500.00) per day for every day of delay.

### Section VI. Specifications

### SCOPE OF WORKS AND PARAMETERS

#### I. GENERAL PROJECT DESCRIPTION

The project site is studio apartment located at Unit 18N, Legaspi Towers 300, 2600 Roxas Blvd. corner P. Ocampo Street, Malate, Manila, 1004 Metro Manila. It has a floor area of approximately 77.85 sq. m. Actual photos of the property are attached as Annex "A".

The PMO shall renovate the studio apartment with the intention to lease. In view of this, the services of a contractor are needed to do the following:

- 1. Supply labor and materials for the implementation of the approved plans (Annex "B", "B1" to "B12") and General Requirements (Annex "C");
- 2. Supervise construction works to ensure adherence to the approved plans and Detailed Specifications (Annex "D") and all applicable laws, code and standards;
- 3. Comply with necessary building codes in relation with the construction of necessary building materials, installation and testing of utility systems and components required by the project;
- 4. Supply, delivery and installation of furniture and fixture as per specifications.
- 5. Supply, delivery and installation of equipment and appliances as per specifications.
- 6. Strictly observe the Renovation/Repair Guidelines of Legaspi Tower 300 attached as Annex "E".
  - The contractor shall coordinate with the building administration upon award of the project to verify and confirm building administration rules and guidelines for consideration before renovation.
  - The contractor shall closely coordinate with the administration for compliance with the building rules and guidelines.
  - Additional requirements by the building administration pertinent to the present pandemic (unless/ otherwise inessential to the building administration due to quarantine restrictions) such as, but not limited to:
    - All construction workers are subject for swab testing (COVID 19 RT-PCR) 1 week prior to start of renovation and results are to be submitted to building administration office.
    - All workers are not allowed to leave the work site during the course of the renovation.
    - A limit of 3 work personnel are only allowed during the renovation.

#### II. SCOPE OF WORKS

A. Process and secure permits and insurance

The Contractor shall secure, do all the necessary legwork and pay for all pertinent permits, licenses, clearances, building administration cash bond and insurances needed for the implementation of the project, which shall include but not limited to building permits, Contractor's All Risk Insurance (CARI), and other permits and insurances required by the building administrator and the local government unit (LGU). All related documents shall be submitted to the PMO before the implementation of the construction.

B. Site investigation

The Contractor shall conduct thorough inspection of the existing job site conditions and accept site as is. A site investigation and site work plan and survey report should be submitted to PMO.

C. Site Work

The following works shall be included:

- 1. Site clearing removal of existing structures, if any, which is necessary to permit construction and other work as indicated, with the approval from PMO;
- 2. Site safety requirements the Contractor shall provide site safety requirements such as temporary board-up, security and other protective requirements to ensure safety of workers and the general public in the project area throughout the duration of the contract.
- 3. Temporary power and water supply during construction the Contractor shall also provide, at his own expense, all temporary lighting, power, water supply, and all necessary facilities sufficient enough for the simultaneous use of all possible field works to complete the project.
- 4. Storage and filing of materials the Contractor shall designate a space for the storage of materials. Storage shall be maintained properly by designated personnel of the Contractor.
- D. Supply and delivery of supplies and materials

The contractor shall submit at least 2 material proposals for approval for every item required for the project by the client or the consultant.

The Contractor shall notify the PMO of the schedule of delivery of supplies and materials. A PMO representative shall always be present during the scheduled date of delivery.

The Contractor shall be solely responsible in ensuring that all supplies and materials are delivered on site in good quality and condition and are as specified in the approved Bill of Quantities. A time and delivery record shall be maintained by the Contractor.

E. Project implementation

The contractor shall demolish and dismantle all necessary existing items as per the demolition plan and architectural specifications, some items but not limited to are stated below:

- a. All existing CHB walls subject for demolition. Verify demolition plan for reference.
- b. All existing wall tiles inside the toilet and bath are subject for dismantling.
- c. All toilet and bath fixtures are subject for dismantling.
- d. All kitchen cabinets and fixtures are subject for dismantling.
- e. All electrical materials that are not subject for reuse are subject for dismantling.
- f. Existing floor tiles at balcony area subject for dismantling.
- g. Existing wall tiles at balcony zocallo subject for dismantling.
- h. Existing combination window and sliding door subject for dismantling.
- i. Existing ducting works subject for dismantling.

The Contractor shall construct all architectural and engineering works in accordance with the approved Plans and Specifications. Two (2) sets of clean plans and specifications shall always be kept on site to be available to PMO or their representative upon request during construction.

No alteration or addition shall be allowed without the consent and proper documentation approved by PMO, even such change is ordered by PMO. Changes may be presented to the PMO in the form of shop drawing showing information on all working dimensions, arrangement and sectional views, connections and materials.

The contractor shall coordinate with the client and consultant regarding material approval and/or concerns regarding the design that will affect the project.

The Contractor shall not work without proper instruction or detailed plans approved by PMO, otherwise he shall be responsible for the unacceptance of the work done without details. In such case, the Contractor shall make good the work at his own expense.

The contractor shall be responsible with the dismantling and the repair of all adjacent unit's walls, ceiling and etc. as required for the installation and replacement of utility works relative to the project.

The contractor shall coordinate with the client and building administration officials regarding hauling and disposal of debris and dismantled items.

F. Project completion

The Contractor shall notify PMO, through a Notice of Completion together with a punch-list of the remaining works, once the project reaches an accomplishment of ninety-five percent (95%) of the total contract amount.

PMO or his representative, together with the Contractor, shall make preliminary inspection of the project and provide the latter with a punch-list of minor defects discovered, if any. The Contractor shall complete the remaining works and make the necessary corrections as enumerated in the punch-list within the approved remaining contract time.

The Contractor shall clean and clear the project site prior to PMO's final inspection and acceptance. Rubbish shall be legally and properly disposed of.

G. Project turn-over

The contractor shall conduct necessary testing required for the project (e.g. flood testing for waterproofing, meagre testing for electrical wirings, etc.) and shall document all tests and submit certification that the project test results are acceptable based on building standards.

The contractor shall coordinate with the building administrators, owner's representative and consultant prior to testing and request for witnessing of the tests.

The contractor shall employ a professional cleaning company to conduct housekeeping for the project prior to turn-over.

The Contractor shall prepare and submit as-built plans duly signed and sealed by duly licensed and registered professionals in the same size and scale as the original drawings in two (2) reproducible copies. Electronic copies shall also be submitted in AutoCAD and PDF formats.

The Contractor shall post a Warranty Security in accordance with the schedule as specified in Section IX of this TOR.

#### III. REQUIREMENTS AND QUALIFICATIONS

Interested bidders must meet the minimum requirements as enumerated below to be considered eligible to participate in this bidding.

The Contractor must:

- 1. Be a member of the Philippine Contractors Accreditation Board (PCAB);
- 2. Have an experience of at least five (5) years in the construction business with at least one (1) contract that is similar to this Project;
- 3. Submit a certification of at least Satisfactory service from two (2) companies for similar projects completed in the last two (2) years

# IV. APPROVED BUDGET FOR THE CONTRACT (ABC) AND PROJECT DURATION

The approved Budget for the Contract is **One Million Nine Hundred Fifty Thousand Pesos (P 1,950,000.00),** with the corresponding cost inclusive of all applicable government taxes; fees and other incidental expenses. The approved period to complete the project is sixty (60) working days (Monday to Friday except holidays) to commence within five (5) calendar days from the receipt of the Contractor of the Notice to Proceed (NtP):

	Scope of Works	No. of days
1.	Processing of Permits and Insurances	12 working days
2.	Project Implementation	48 working days

#### V. TIMELINES AND DELIVERABLES

	SCOPE OF WORKS	DELIVERABLES	SCHEDULE OF SUBMISSION
1.	Processing of Permits and Insurances	Permits and Insurances	within 1 to 2 weeks from receipt of Notice to Proceed (NtP)
2.	Site Investigation	Site Investigation Report, site work plan and survey report	within seven (7) calendar days from receipt of NtP
3.	Supply and Delivery of Materials	Delivery report	Per approved schedule of delivery
4.	Project Implementation	Progress report Shop drawings for alterations or changes to the approved plans and specifications, if any	Weekly – progress reports Shop drawings – as the need arises
6.	Project Completion	Notice of Completion and punch-list of remaining works	Upon accomplishment of 95% of the total contract amount
7.	Project Turn-over	As-built plans duly signed and sealed by a licensed and registered professional	within fifteen (15) calendar days from receipt of Notice of Final Inspection and

#### VI. PAYMENT SCHEME AND SCHEDULE

The Contractor shall be paid for the corresponding percentage of work completed to be scheduled as follows:

Payment Due	% of Work	% of Payment
1 <sup>st</sup> Payment	30%	30%
2 <sup>nd</sup> progress payment	50%	20%
3 <sup>rd</sup> progress payment	75%	25%
Final Payment	Shall be paid within fifteen (15) to thirty (30) calendar days after Final Inspection and Acceptance of the Project.	25%

The Contractor shall submit a statement of work accomplished (SWA) and corresponding request for progress payment for work accomplished together with the deliverables stated in Section V of this TOR and other documentary requirements to support the processing of payments. The SWA should show the amounts which the Contractor considers itself to be entitled to up to the end of the month, to cover the cumulative value of the works it executed to date, based on the items in the Bill of Quantities supported by progress photos.

Progress payments are subject to retention of ten percent (10%) referred to as the "retention money". The total "retention money" shall be due for release upon final acceptance of the works and upon submission of the Contractor of the Warranty Security including material, furniture and equipment warranties.

#### VII. DUTIES AND RESPONSIBILITIES

#### A. Contractor

1. During Bidding

- 1.1 The Contractor shall be responsible for taking the necessary steps to carefully examine all documents provided by PMO. It also rests upon the Contractor to check all the numbers and units as indicated in the Bill of Quantities. The Contractor is enjoined to confer with the PMO on items for clarification before submitting his bid. No excuses shall be entertained for misinterpretation of the plans and specifications after the award of contract.
- 1.2 It is also the sole responsibility of the Contractor to determine and acknowledge all conditions and other factors that may affect the cost, duration and execution of the work. By submitting his proposal, the Contractor acknowledges that he has inspected the site and determined the general characteristic of the project. Failure to do so shall be at the Contractor's risk.
- 2. During Project Implementation
  - 2.1 Guarantee that all supplies delivered are as specified in the Bill of Quantities, free from defects and are not of inferior quality;
  - 2.2 Guarantee that all works shall be performed by experienced and skilled craftsmen to assure that the works are of first class quality, appearance and durability;
  - 2.3 Execute all the works under the contract in strict accord with standard engineering methodology and procedures and shall be responsible for maintaining cleanliness and orderliness, health and safety of workers and general public in the project area throughout the duration of the contract;
  - 2.4 Secure its own water and electrical supply for temporary use during the construction period. The contractor shall pay for expenses for the acquisition of the water and power connection to the local utility/building administration;
  - 2.5 Secure necessary all-risk insurance coverage at his/her own expense. The Contractor shall be solely responsible for (a) death or injury to the contractor or any of his employees or laborers; and (b) any damage to contractor's equipment or materials.
  - 2.6 Pay the cash bond requirement of the homeowners association based on Annex "E" – Legaspi Towers 300 Corporation, Inc. Renovation/Repair Guidelines;

All violation/damages referring to Renovation/Repair Guidelines of Legaspi Tower 300 shall be deducted to the contractor's issued cash bond to the building administration.

2.7 Always be present in the project in the event of meetings and ocular inspections by the client and/ or consultant. In the event of the contractor's

absence, he/ she must employ a technical engineer to attend and assist the client and/ or consultant during the said meetings and inspections.

#### **B.** Privatization Management Office (PMO)

- 1. During Bidding
  - 1.1 Provide approved plans, specifications and Bill of Quantities. The plans and specifications shall be interpreted by PMO and/or his authorized representative.
- 2. During Project Implementation
  - 2.1 Immediate action on items requiring approval of PMO before implementation of Contractor;
  - 2.2 Assist the Contractor, if necessary, in securing the pertinent permits, clearances and utilities needed for the execution of the project. It is the responsibility of the Contractor to pay for any and all expenses necessary for the acquisition of such documents and to make representations and follow-ups to expedite the release of the same; and
  - 2.3 Ensure timely payment of fees due to the Contractor on a monthly basis provided that the Contractor submitted complete supporting documents for the processing of such fees.

#### VIII. LIQUIDATED DAMAGES

Liquidated damages shall be imposed upon the Contractor in the amount equivalent to one-tenth of one percent (0.001) of the cost of the unperformed portion of the works for every day of delay, where the Contractor refuses or fails to satisfactorily complete the project within sixty (60) working days from receipt of Notice to Proceed, plus any time extension granted.

In no case however, shall the total sum of liquidated damages exceed ten percent (10%) of the total contract price, in which event the contract shall automatically be taken over by PMO and the erring Contractor's performance security shall be forfeited.

#### IX. WARRANTY

The Contractor warrants that the completed work is free from defects within one (1) year from date of issuance of Certificate of Completion and Final Acceptance by PMO. Defects shall mean faults attributable to improper construction, use of inferior/substandard materials, and any violation of the contract plans and specifications.

The Contractor shall undertake the repair works of defects, at his own expense, within ninety (90) calendar days to commence within seven (7) calendar days from receipt of order to undertake repair from PMO.

To guarantee that the Contractor shall perform his responsibilities for defects, it shall be required to post a Warranty Security in accordance with the following schedule:

	Form of Warranty Security	Amount of Warranty Security
		(Not less than the required percentage of the Total Contract Price)
a)	Cash or Letter of Credit issued by a Universal or Commercial Bank: Provided, however, that the Letter of Credit shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%)
b)	Bank guarantee confirmed by a Universal or Commercial Bank.	Ten percent (10%)
c)	Surety bond callable upon demand issued by GSIS or a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)

The contractor shall compile all material, furniture and equipment warranties and issue to the PMO upon completion of the project. All subcontractor warranties (e.g., waterproofing warranty) shall be directly addressed and accredited to PMO.

# Section VII. Drawings

Please see attached:

- a) Annex "B"
- b) Annex "B1"
- c) Annex "B2"
- d) Annex "B3"
- e) Annex "B4"
- f) Annex "B5"
- g) Annex "B6"
- h) Annex "B7"
- i) Annex "B8"
- j) Annex "B9"

### Section VIII. Bill of Quantities

Please see attached:

- a) Annex "B10"
- b) Annex "B11"
- c) Annex "B12"

Note: The authorized representative of the Bidder shall affix his signature at the bottom of each page of the Bill of Quantities. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

### Section IX. Checklist of Technical and Financial Documents

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); Or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
  - And
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;

#### And

(e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Form1); **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid (Form 2), except under conditions provided under the rules; **and**
- (h) Philippine Contractors Accreditation Board (PCAB) License;

#### <u>or</u>

Special PCAB License in case of Joint Ventures;

and registration for the type and cost of the contract to be bid; and

(i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

#### <u>or</u>

(j)

Original copy of Notarized Bid Securing Declaration (Form 3); **and** Project Requirements, which shall include the following:

- a. Organizational chart for the contract to be bid (Form 4);
- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (Form 5);
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership (Form 6) or certification of availability of equipment from the

equipment lessor/vendor for the duration of the project (Form 7), as the case may be; **and** 

(k) Original duly signed Omnibus Sworn Statement (OSS) (Form 8);
 <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

(1) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and** 

(m)

### Class "B" Documents

(n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

The prospective bidder's computation of Net Financial Contracting Capacity

#### **II. FINANCIAL COMPONENT ENVELOPE**

(NFCC) (Form 9).

(o) Original of duly signed and accomplished Financial Bid Form (Form 10); **and** 

#### Other documentary requirements under RA No. 9184

- (p) Original of duly signed Bid Prices in the Bill of Quantities (Form 11 to 13); <u>anc</u>
- (q) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; <u>and</u>
- (r) Cash Flow by Quarter.

# Section X. Required Forms to be Submitted by Bidders
#### STATEMENT OF ONGOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

Business Name: Business Address:

Name of Contract and Amount of	a. Owner Name b. Address	Contract Duration	Date of Contract	Date of Delivery	Kinds of Goods	% of Accomplishment		Value of Outstanding Works/Uncompleted Portion
Contract						Planned	Actual	
<u>Government</u>								
Private								
						Total Cost	:	

Continue in a separate sheet if necessary

Note: This procurement shall be supported with (whichever is available)

1. Notice of Award and/or Contract

2. Notice to Proceed issued by the owner

3. Certificate of Accomplishment signed by the owner or authorized representative

Submitted by:

Printed Name and Signature Designation Date

#### STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

Business Name: Business Address:

Baoinooo /						
Name of Contract	<ul> <li>a. Date of the Contract</li> <li>b. Date Started</li> <li>c. Date of Completion</li> </ul>	<ul> <li>a. Contract Duration</li> <li>b. Address</li> <li>c. Telephone Nos.</li> </ul>	Kinds of Goods Sold	Amount of Completed Contracts	Date Delivery	End-user's Acceptance/Official Receipt/Sales Invoice issued

Name and Signature Authorized Representative

Date

Instructions:

- 1. Cut-off date as of:
  - a. Up to the day before the deadline of submission of bids.
- 2. Largest Contracts to be submitted must be a part of the list.
- 3. In the column under "Dates", indicate the dates of delivery/End-user's Acceptance and Official Receipt.
- 4. "Name of Contracts". Indicated here the Nature/Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

## **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- I/We accept that: (a) I/we will be automatically disqualified from bidding for any
  procurement contract with any procuring entity for a period of two (2) years upon receipt
  of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under
  Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15)
  days from receipt of the written demand by the procuring entity for the commission of
  acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b),
  34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other
  legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Format shall be based on the latest Rules on Notarial Practice]

## **Contractor's Organizational Chart for the Contract**

Submit Copy of the Organizational Chart that the Contractor intends to use to execute the Contract if awarded to him. Indicate in the chart the names of the Key Personnel.

Attach the required Proposed Organizational Chart for the Contract as stated above

1. This organization chart should represent the "Contractor's Organization" required for the Project, and not the organizational chart of the entire firm.

2. All these are required to be in the Technical Envelope of the Bidder.

## List of Contractor's Key Personnel Proposed to be Assigned to the Contract

<b>Business Name</b>	:
<b>Business Address</b>	:

	Technical Supervisor	Foreman	Painter	Electrician	Mason	Carpenter	Plumber
1. Name	Supervisor						
2. Address							
3. Date of Birth							
4. Employed							
since							
5. Experience							
6. Previous							
Employment							
7. Education							
8. PRC License							
Minimum Requir	ements	: Technical	Supervis	or	1	1	

winning Keyunements	
	: Foreman
	: Painter
	: Electrician
Note	: Attach individual resume and a copy of PRC License of the
(professional) personnel	
Submitted by	
Submitted by	(Printed Name & Signature)
Designation	;
Date	:

One of the requirements from the bidder to be included in its Technical Envelope is a list of contractor's key personnel (viz., Technical Supervisor, Foreman, Painter, Electrician, Mason, Carpenter and Plumber), to be assigned to the contract to be bid, with their complete qualification and experience data (including the key personnel's signed written commitment to work for the project once awarded the contract).

## List of Equipment, Owned or Leased and/or under Purchase Agreements, Pledged to the Proposed Contract

 Business Name
 :

 Business Address
 :

Description	Model/Year	Capacity / Performance / Size	Plate No.	Motor No. / Body No.	Location	Condition	Proof of Ownership / Lessor or Vendor
A. Owned							
i.							
ii.							
iii.							
iv.							
v.							
B. Leased							
i.							
ii.							
iii.							
iv.							
ν.							
C. Under Purchase							
Agreements							
i							
ii.							
iv.							
V.							

List of minimum equipment required for the project : Submitted by :

(Printed Name & Signature) Designation

Date

:

:

One of the requirements from the bidder to be included in its Technical Envelope is the list of its equipment units pledged for the contract to be bid, which are owned (supported by proof/s of ownership), leased, and/or under purchase agreements (with corresponding engine numbers, chassis numbers and/or serial numbers), supported by certification of availability of equipment from the equipment lessor/vendor for the duration of the project.

## **Certification of Availability of Equipment**

(Date of Issuance)

Name of the Head of the Procuring Entity Position of the Head of the Procuring Entity (Name of Procuring Entity) (Address of Procuring Entity)

Attention : The Chairperson Bids and Awards Committee

Dear Sir / Madame:

In compliance with the requirements of the <u>(Name of the Procuring Entity)</u> BAC for the bidding of the <u>(Name of the Contract)</u>, we certify that <u>(Name of the Bidder)</u> has leased the following equipment from our company:

a.

b.

c.

d.

e.

Further, we likewise certify the availability of the above listed equipment for the duration for the construction contract.

Very truly yours,

(Name of Lessor/Vendor) (Position)

#### Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another</u> <u>blacklisted person or entity as defined and provided for in the Uniform Guidelines</u> <u>on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant [Format shall be based on the latest Rules on Notarial Practice

#### Computation of Net Financial Contracting Capacity (NFCC)

A. Summary of the Bidder's assets and liabilities on the basis of the attached Audited Financial Statements stamped "RECEIVED" by the Bureau of Internal Revenue (BIR) or its authorized colleting agent, for the immediately preceding year.

Year

- 1. Total Assets
- 2. Current Assets
- 3. Total Liabilities
- 4. Current Liabilities
- 5. Net Worth (1-3)
- 6. Net Working Capital (2-4)
- B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

**NFCC**=K (current asset – current liabilities) minus value of all outstanding works under ongoing contracts including awarded contracts yet to be started.

Where:

K = 15

NFCC=P\_\_\_\_\_

Attached are certified true copies of the Audited Financial Statements stamped "RECEIVED" by the BIR for the years \_\_\_\_\_\_ and \_\_\_\_\_, including the Auditor's /Accountant's Certificate.

Date: \_\_\_\_\_

Submitted by:

Authorized Signature Name & Title of Authorized Signatory Name of Bidder-Agency Bidder's Address

#### Bid Form for the Procurement of Infrastructure Projects [shall be submitted with the Bid]

**BID FORM** 

Date : \_\_\_\_\_ Project Identification No. : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- b. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract];*
- c. We offer to execute the Works for this Contract in accordance with the PBDs;
- d. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- e. The discounts offered and the methodology for their application are: *[insert information]*;
- f. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- g. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>1</sup> for this purpose;
- i. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- j. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and

<sup>&</sup>lt;sup>1</sup> currently based on GPPB Resolution No. 09-2020

- k. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- I. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- m. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

48

#### Privatization and Management Office PROJECT TITLE LT300 Unit 18N Condominium Unit Renovation PROJECT LOCATION SUBJECT CONTRACTOR Unit 18N, Legaspi Tower 300, 2600 Ocampo St., Malate, Manila, 1004 Metro Manila Civil Works Bid Form MATERIAL UNIT LABOR UNIT TOTAL MATERIAL LABOR TOTAL LABOR MOD COM PROFIT % VALUE ITEM QTY. UNIT TOTAL MARK-UPS VAT TOTAL INDIRECT TOTAL COST DESCRIPTION UNITCOST NO. I. GENERAL REQUIREMENTS 1.00 lot lot 0% 0% 0% 0% 0% 0% opulzation emobilization, hauling and final cleaning prior to turnove 1.2 1.3 Delivery and Tools & Equipment 1.00 lot 15% 10% 25% 14 1.00 lot 15% 10% 25% Water & Power consumption during construct Regular cleaning of jobsite during renovation As-Built Plan lot lot 1.00 25% 25% 1.5 1.6 15% 15% 10% 10% ecuring and payment of all necessary permits including uilding permit, clearances, insurances and bonds lot 1.00 15% 10% 1.7 25% cessary for the project lot ersonnel swab testing and other necessary medical tests Id certification as required by the building management iilding administration facilities and utilities 1.8 1.00 15% 10% 25% 1.00 1.9 lot 15% 10% 25% lot 15% 10% 25% 1.10 ughing-in works and repair works for neighboring units 1.00 as required for the construction 1.10 SUBTOTAL COST: SITE CONSTRUCTION II. 2.1 emolition of existing concrete walls ismantling of existing wall and floor tiles at toilet and 12.00 sq.m. 15% 10% 25% 50.00 2.2 10% 25% sq.m. 15% lcony nantling of existing ductworks, doors and windows not 2.3 1.00 lot 15% 10% 25% ubject for reuse Dismantling of existing kitchen & kollet and bath fixtures, counter tops, grease traps, utility lines and all other items not subject for reuse. Site clearing and disposal of dismantled and demolished 2.4 1.00 lot 15% 10% 25% lot 1.00 2.5 15% 10% 25% Others 2.6 SUBTOTAL COST: III. Construction of 100mm concrete hollow blocks complete with mortar and 10mm diameter reinforcing bars spaced every 600mm on center both ways. 10% 31 7.25 sa m 15% 25% 25mm thick cement plaster 14.50 3.2 sq.m. 15% 10% 25% 18mm thick sail and pepper granite counter top for kitchen counter and lavatory counter complete with fascia and splashboard. Contractor to apply necessary sealers and wrify corner profile termination to designer. Submit sample for approval. 1.00 3.3 slabs 15% 10% 25% 3.4 Others THERMAL AND MOISTURE PROTECTION VII. Supply, delivery and application of cementitious waterproofing as remanufacture? Standards at totlet & bath and balcony. Apply to flooring and walls up to 300mm from floor. 7.1 22.00 sq.m. 15% 10% 25% 7.2 SUBTOTAL COST: DOORS AND WINDOWS VIII. Exising entrance door to be retained and refurbished. All hardware subject for replacement with new equivalent quality (Heav dy darkance double handles et 4 ests tainies set built bearing butterfly hinges, single cynder doublet, door viewer, Install new set dataines set of kain bolt, door parel and gam bulger to subject for surface repair present sample hardware and accessories to approval. Existing door parel and gam bulger to fix surface repair manufacturer's standards. Submit sample for approval. 8.1 1.00 set 15% 10% 25% Supply delivery and installation of new set flush door 90mm vs 210mm with 90mm v10mm setial kilo rided door jamb. Flush door shall be equipped with solid wood tame and 6mm hick marine physicol at both faces. Door panel and jamb shall be painted using quick dring atmel as per manufacturer's shartdack. It salt starilies shell hartbare (ontrance liver pla lockset. 4 sets starilies shell hartbare (ontrance liver pla lockset. 4 sets starilies shell hartbare) torther hybras and door stoper). Submit sample for approval. 8.2 2.00 sets 15% 10% 25%

#### Form 11

8.3	Supply, delivery and installation of new set flush door 700mm x 2100mm with 50mm x 100mm solid kiln died door jamb. Flush door ahalt be equipped with solid wood meen and 6mm flush minine physod abroth these and 500mm (H) x 500mm (H) ouvers with 50mm x 50mm wood farme and vood louvers. Door panel and jamb ahall be painted using updk vitying enmail as jatimites sheel lamb bearing butterflyhinges and door stopper). Submit sample to approval.	1.00	set			15%	10%	25%			
8.4	Supply delinery and installation of new set than door 60mm x210mm web S0mm x100mm xold kin dised or jums F-bark door shall be excipted with sold avoud tame and som thick marine physical al both faces and S0mm (P) x 400m W/W solares with S0mm x 50mm moof fame and vacod boxens Door pamel and jamb shall be painted using quick dying entantial as per munducturer's astrondra. Install stalliness also I and painted using both y funge and door stoppen). Submit sample for approval.	2.00	sets			15%	10%	25%			
8.5	Supply, delivery and installation of combination of 2 aels 875mm x 1180mm fixed windows with 6mm thick tempered glass on powder coated aluminum frame complete with gaskes and seathirst, and stilling glass door (opening dimensions of 1750mm x 2120mm) parela using 6mm thick tempered glass on powder coated aluminum finane complete gaskes and seathirt, with interest screen as per manufacturer's standards. Novide built-in silling workches for powder coating and aluminum frame section for approval.	1.00	set			15%	10%	25%			
8.6	Supply, delivery and installation of combination of 600mmW 4 400mmH avaining glass window using 3mm thick tempered glass with powder coated aluminum frame complete with necessary gaskets, sealaint and trackware as per manufacturer's standards. Submit swatches for powder coating and duminum frame section and hardware for approval.	4.00	sets			15%	10%	25%			
8.7	Supply, delivery and installation of combination of 600mmW x 400mmH awning glass window using 6mm thick tempered glass with powder coated aluminum frame complete with necessary gaskets, sealants and hardware as per manufacturer's standards. Submit swatches for powder coating and aluminum frame section and	2.00	sets			15%	10%	25%			
	hardware for approval.										
8.8	hardware for approval. Others SUBTOTAL COST:					15%	10%				
8.8 IX. 9.1	Others	53.00	sq.m.					25%			
IX.	Ohens SUBTOTAL COST: FINISHES Supply delivery and construction of dywall using 9mm thick Ber cement board with 0.5mm x 75mm metal stud and tracks taming spaced every 40mm on center both ways complete with accessary accessaries such as					15%	10%	25%			
9.1	Others SUBTOTAL COST: FINISHES Supply, delivery and construction of dywall using 9mm thex Ber cement board with 0 Smm x 75mm metal stud of tracks faming speed der wy 400mm on center both ways complete with necessary accessories such as aluminum corner beads, rivets, etc. Supply, delivery and construction of celling using 9mm thick gasam board with 0 Smm x 15mm x 50mm double turing channel spaced eery 600mm on center, both ways complete with necessary statement and accessionies aper manufacturer's standards. Contractor to provide 12mm x 11mm 7 bead statement is markeding with and celling	53.00	sq.m.			15%	10%				
9.1 9.2	Others SUBTOTAL COST: FINSHES Supply, delivery and construction of dywall using 9mm thex Ber coment board with 0.5mm x 75mm metal stud and tracks faming speed every 400mm conserts roth ways complete with necessary accessories such as aluminum comer beads, hinds, etc. Supply, delivery and construction of celling using 9mm thick, gapaam board with 0.5mm x 15mm x 50mm double turing channel spaced every 600mm on centre, both ways complete with necessary accessories as per manufacturar's standards. Contractor to provide 12mm x 12mm Z bead standards. Contractor to provide 12mm x to warkso programs batemen and accessing as per manufacturar's standards. Contractor to provide 12mm x to warkso programs databased and conforms later paint aper manufacturar's standards. Submit paint seatches for supprised. Ceiling surfaces subject for suffice preparation and parinting using conforties full takes paint as per manufacturar's standards. Submit paint swatches for supprised.	53.00	sq.m.			15%	10%	25%			
9.1 9.2 9.3	Others SUBTOTAL COST: FINISHES Supply, delivery and construction of dywall using 9mm thick Ber cement board with 0.5mm x 75mm melai stud of tacks faming speed every 400mm center both ways complete with necessary accessories such as aluminum comer beads, rivets, etc. Supply, delivery and construction of celling using 9mm thick gasets board with 0.5mm x 19mm x 30mm double furing channel spaced every 400mm on center, both ways complete with necessary accessories as per manufacture's standards. Contractor to provide 12mm x 12mm 2 bead shadow line moulding at wall and celling perimeter. Existing interior wall surfaces and dywall surfaces subject for surface preparation and painting using odorless later. Celling surfaces subject for surface preparation and painting using odorless talters, Submit paint awatches for approval. Celling using destabuted for surface preparation and painting using odorless talters, paint as per manufacture's standards. Submit paint swatches for approval.	53.00 72.80 205.76	sq.m. sq.m.			15%	10%	25%			
9.1 9.2 9.3 9.4	Others SUBTOTAL COST: FINSHES Supply, delivery and construction of dywall using 9mm thick Ber cement board with 0.5mm x 75mm melai stud and tracks faming paced every 400mm conserts roth ways complete with necessary accessions such as aliminum comer beads, hinels, etc. Supply, delivery and construction of celling using 9mm thick, graum board with 0.5mm x 15mm x 25mm double turing channel spaced every 400mm on centre, both ways complete with necessary accessions as per manufacturer's standards. Contractor to provide 12mm x 12mm 2 bead standards. Contractor to provide 12mm x to surbce opposation and painting using of others later perimeter.	53.00 72.80 205.76 72.80	sq.m. sq.m. sq.m.			15% 15% 15% 15%	10% 10% 10%	25%			
9.1 9.1 9.2 9.3 9.3 9.4 9.5	Others SUBTOTAL COST: PINSHES SUBTOTAL COST: PINSHES Supply delivery and construction of dywall using 9mm thex kers commer board with 0 Sum x 70mm melal stud and tracks familing goard every 400mm concerter both ways complete with necessary accesses such as alumirum comer beads, rivets, etc. Supply delivery and construction of celling using 9mm thex by a supplementation of a supplementation of the supplementation of the supplementation supplementation of the supplementation of supplementation of the supplementation of the supplementation of the supplementation of supplementation of the supplementation of the supplementation of su	53.00 72.80 205.76 72.80 24.00	sq.m. sq.m. sq.m. sq.m.			15% 15% 15% 15% 15%	10% 10% 10% 10% 10%	25% 25% 25%			
IX.           9.1           9.2           9.3           9.4           9.5           9.6	Others SUBTOTAL COST: FINISHES Supply, delivery and construction of dywall using 9mm thick Ber comment board with 0.5mm x 75mm melait stud and tracks faming grade derey 400mm on center both ways complete with naccessary accessories such as aluminum comer beads, nineb, etc. Supply, delivery and construction of celling using 9mm thick graum board with 0.5mm x 19mm x 30mm double turing channel spaced every 400mm on center, both ways complete with necessary accessories such as aluminum comer beads, nineb, etc. Supply, delivery and construction of celling using 9mm thick graum board with 0.5mm x 19mm x 30mm double turing channel spaced every 600mm on center, both ways complete with necessary accessories as per manufacture's standards. Contractor to provide 12mm x thirm 2 bead studies line moulding at wall and celling parimeter. Existing interior wall surfaces and dywall surfaces subject for surface programations and painting using odorless lates paring using obstates's standards. Submit paint seatches for approval. Celling stracters subject for surface preparation and painting using obstates that two pains are per manufacture's standards. Submit paint swatches for approval. Existing interior foor lites complete with lise adhesite and anti- bacterial gour to tribitation of 400mm x 400mm non- add ceramic foor lites complete with lise adhesite and anti- bacterial gour for totat and bab. Contractor b present satches for approval. Supply, delivery and installation of 300mm x 300mm ghand ceramic foor lites complete with lise adhesite and anti- bacterial gour to totat and bab. Contractor b present satches for approval.	53.00 72.80 205.76 72.80 24.00 67.00	sq.m. sq.m. sq.m. sq.m.			19% 19% 19% 19%	10% 10% 10% 10% 10%	25% 25% 25%			
NK           9.1           9.2           9.3           9.4           9.5           9.6           9.7	Others SUBTOTAL COST: FINISHES Supply, delivery and construction of dywall using 9mm thex Ber cement board with 0.5mm x 75mm metal stud and tracks faming goard devel 400mm on center both ways complete with necessary accessories such as aluminum corner beads, nirets, etc. Supply, delivery and construction of celling using 9mm thick ber and with 0.5mm x 19mm x 30mm double turing channel spaced evely 400mm on center, both ways complete with necessary accessories such as aluminum corner beads, nirets, etc. Supply, delivery standards. Contractor to provide 12mm x 12mm 2 bead shadow line moulding at wall and celling perimeter. Existing interior wall aurtaces and dywall surfaces subject for surfaces preparation and painting using odorless later. Celling surfaces subject for surface preparation and painting using objects to later as per manufacture's standards. Submit paint watches for approval. Existing interior wall aurtaces subject for surfaces preparation and age and mathetice's standards. Submit paint watches for approval. Existing visition of statilistion of 400mm x 400mm no- taid ceramic foot tites complete with tis adhesive and ant- bacterial gourd. Contractor to present swatches for approval. Supply, delivery and installation of 300mm x 300mm no- skid ceramic foot tites complete with tis adhesive and ant- bacterial gourd. Contractor to present swatches for approval. Supply, delivery and installation of 300mm x 300mm pland ceramic wall the and bath. Contractor to present swatches for approval.	53.00 72.80 205.76 72.80 67.00 6.20	sq.m. sq.m. sq.m. sq.m.			19% 19% 19% 19% 19%	10% 10% 10% 10% 10% 10% 10% 10% 10%	25% 25% 25% 25%			
NK           9.1           9.2           9.3           9.4           9.5           9.6           9.7           9.8	Others SUBTOTAL COST: FINSHES Supply, delivery and construction of dywall using 9mm thex Ber comment board with 0.5mm x 75mm metal taud and tracks faming spaced wary 400mm on center both ways complete with necessary accessories such as alumium: comer beady, niets, etc. Supply, delivery and construction of celling using 9mm thick graum board with 0.5mm x 19mm x 30mm double turing channel spaced every 400mm on center, both ways complete with necessary accessories such as alumication of the state of the state of the state turing channel spaced every 400mm on center, both ways complete with necessary accessories as per manufacture's standards. Contractor to provide 12mm x 10mm 2 bead taubus item mulding at wall and celling perimeter. Existing interfor wall aurtices and dywall suitige softwares state per manufacture's standards. Submit paint state thes for approval. Celling surfaces subject for surface preparation and parineling using odorless tit takes pains age or manufacture's standards. Submit paint awatches for approval. Exterior wall surfaces subject for surface preparation did ceramin. foor its loar onperia with file adhese and atti- bacterial grout. Contractor to present ewatches for approval. Supply, delivery and installation of 300mm x 300mm statches for approval. Supply, delivery and installation of 300mx x 300mm and-bacterial grout for to trate and ball. Contractor to present statches for approval. Supply, delivery and installation of 100m x 300m and-bacterial grout for to tel and ball. Contractor to present statches for approval. Supply, delivery and installation of 100mx x 300m	53.00 72.80 205.76 72.80 67.00 67.00 6.20 13.10	5q.m. 5q.m. 5q.m. 5q.m. 5q.m. 5q.m. 1m.			19% 19% 19% 19% 19% 19%	10% 10% 10% 10% 10% 10% 10% 10% 10% 10%	25% 25% 25% 25% 25%			
NX           9.1           9.2           9.3           9.4           9.5           9.6           9.7           9.8           9.10	Others SUBTOTAL COST: FINISHES Supply, delivery and construction of dywall using 9mm thick Ber cement board with 0.5mm x 75mm metal stud of tacks faming goard de wey 00mm on center both ways complete with necessary accessories such as aluminum corner beads, riveb, etc. Supply, delivery and construction of celling using 9mm thick ber construction of celling using 9mm thick param. boards both 5mm x 15mm x 75mm Xmm double tring channel spaced exe y00mm on center, both ways complete with necessary accessories such as aluminum corner beads, riveb, etc. Supply, delivery standards. Contractor to provide 12mm x thim 2 bead studies line moulding at wall and celling perimeter. Existing interior wall surfaces and dywall surfaces subject for surface preparation and paining using odorless latex, paining using odorless tatlatus, paint as per manufacture's standards. Submit paint seatches for supproval. Celling stratese subject for surface preparation and painting using obothes tatlatus and a spaint weatches for aponal. Exterior wall surfaces subject for surface preparation and painting using obtained to a strate and the standards. Supply, delivery and installation of 300mm x 300mm non- tid ceramic foor Hise complete with Bite achesive and and- tachesial grout. Contractor to present subthes for supproval. Supply, delivery and installation of 300mm x 300mm glaad cenamic wall Hise complete with Bite achesive and and- tachesing house. Supply, delivery and installation of 300mm x 300mm glaad cenamic wall test complete with Bite achesive to present subthes for supproval. Supply, delivery and installation of 300mm x 300mm glaad cenamic wall test complete with Bite achesive and and- subthes for supproval. Supply, delivery and installation of 300mm x 300mm glaad cenamic wall test complete with Bite achesive and and- subches for X00 the bite and bath. Contractor to present subthes for supproval.	53.00 72.80 205.76 72.80 67.00 6.20 13.10 14.60	5q.m. 5q.m. 5q.m. 5q.m. 5q.m. 5q.m. 1m.			19% 19% 19% 19% 19% 19%	10% 10% 10% 10% 10% 10% 10% 10% 10% 10%	25% 25% 25% 25% 25% 25%			

Y	SPECIALTIES														
х.	SPECIALTIES						[				[				
10.1	Supply, delivery and installation of kitchen base cabinet analited bases on marine plywood substrate broarcass and doors using 18mm thick melanime white stipple laminated bases on marine plywood substrate ord grain animate for exterior face and melanime white stipple interior face on maine plywood substrate. Provide dom thick melanime white stipple laminate and one since mained spectra on marine plywood substrate. Provide dom thick melanime white stipple laminate on one face mained spectra on marine plywood substrate. Provide dom thick manifest and plywood substrate. Provide dom thick plantsc plantsc plantsc plantsc plantsc and splantsc and captanos share the machine and optimesh share Provide ABS plantsc plinth boot. 3 sets concerved stainless and plant aport. Contractors automismum handle and plant lamport. Contractors automismum handle and plant lamport. Contractors automismum handle and plant partsc plantsc plantsc plantsc plantsc analysis for approxil. Provide Bism thick melanime white splant lamport. Contractors automismum handle and plant plantsc and the main blantsc and plantsc and optimesh bases the blant bases and hardwares contractors busbtrate with laminated face exposed at cabinet interior.	1.00	set					15%	10%	25%					
10.2	Others														
XIII.	SUBTOTAL COST: SPECIAL CONSTRUCTION														
	Supply, delivery and installation of brass pendent type														
13.1	sprinkler head complete with escucheon and necessary accessories as per manufacturer's standards.	9.00	set					15%	10%	25%					
13.2	Supply and installation of Black Iron Pipes, Schedule 40, or approved equal, including fittings, painting, sleeves, supports, hangers and other miscellaneous items as shown and as required to complete the system														
13.2.1	50mm diameter	9.00	l.m.					15%	10%	25%					
13.2.2 13.3	25mm diameter Others	19.50	l.m.			 		15%	10%	25%					$\vdash \dashv$
	SUBTOTAL COST:														
XVI.	MECHANICAL SANITARY AND PLUMBING					 									
15.1	Sanitary line Installation. Installation of Polyvinyl Chloride (PVC) pipes, Series 1000 II or approved equal, including fittings, painting, sleeves, supports, hangers and other miscellaneous times as shown and as required to complete the system														
15.1.1	50mm diameter 75mm diameter	25.00 25.00	I.m.					15% 15%	10% 10%	25% 25%					$\square$
15.1.2	75mm diameter 100mm diameter	25.00 25.00	I.m. I.m.					15%	10%	25% 25%					
15.1.4	Supply, delivery and installation of 100mm diameter wall cleanout for lavatory drain tapping point.	1.00	set					15%	10%	25%					
15.1.5	Supply, delivery and installation of 50mm diameter wall cleanout for lavatory drain tapping point.	1.00	set					15%	10%	25%					
15.2	Vent fine Installation. Installation of owner supplied Polying/ Chilotide (PC) pipes, Series 1000 II or approved equal, including fittings, painting, sleeves, supports, hangers and other miscellaneous items as shown and as required to complete the system 50mm diameter	6.00	Lm.					15%	10%	25%					
10.2.1	Supply, delivery and installation of stainless steel 304	0.00	1.111.					10.0	10%	2070					
15.3	grease trap 4GPM compete with necessary strainers and accessories.	1.00	set					15%	10%	25%					
15.4	Cold water supply (roughing-in), Installation of High Density Polypropylene Random Copolymer (PPR) pipes, Class PM- 20 including Stimps, painting, seleves, support, hangers, and other miscellaneous items as shown and as required to complete the system.														
15.4.1 15.4.2	32mm diameter 20mm diameter	3.00 15.00	l.m. l.m.					15% 15%	10%	25% 25%					
15.4.2	20mm diameter 32mm diameter gate valve	2.00	i.m. sets					15%	10%	25%					
15.5	Toilet and bath fixtures (Supply, delivery and installation)							15%	10%						
15.5.1	364mm x 743mm x 764mm. T op flush/ dual flush for 3/6L water closet complete with soft-close and anti-bacterial seat cover. Contractor to provide angle valve, wax flange, flexible hose and fixation set.	1.00	set					15%	10%	25%					
15.5.2	Wall hung porcelain lavatory basin 560 x 475mm with nano coating with half pedestal, complete with necessary accessories and p traps as per manufacturer's standards	1.00	set					15%	10%	25%					
15.5.3	Brass wall mounted tap with hose connector for shower complete with escucheon and accessories as per manufacturer's standards.	1.00	set					15%	10%	25%					
15.5.4	Stainless steel faucet pillar with brass fittings complete with flexible hose and accessories as per manufacturer's standards.	1.00	set					15%	10%	25%					
15.5.5	Stainless steel shower bidet with brass fittings complete with flexible hose, holder and accessories as per manufacturer's standards.	1.00	set					15%	10%	25%					
15.5.6	Stainless steel floor drain with strainer complete with insect proofing (100mm x 100mm)	2.00	sets					15%	10%	25%					
15.6	Kitchen fixtures (Supply, delivery and installation) 920mm x 430mm x 150mmD bright satin stainless steel							15%	10%						
15.6.1	304 kitchen sink with wash tray complete with p traps, drains and accessories as per manufacturer's standards.	1.00	set					15%	10%	25%					
15.6.2	Stainless steel kitchen faucet cold water line only complete with flexible hose and accessories. MECHANICAL	1.00	set					15%	10%	25%					
15.7	Toilet exhaust fan 300mm x 300mm ceiling exhaust fan complete with plastic diffuser grilles with exhaust flap. 230V 60Hz 26W 8.2 cum / minute 48dB	2.00	sets					15%	10%	25%					
15.7.2	300mm x 300mm ceiling exhaust air vent complete with plastic diffuser grille cover with insect screen.	1.00	set					15%	10%	25%					
15.7.3	Exhaust vent line. Installation of 75mm diameter Polyvinyl Chloride (P4C) pipes, Series 1000 II or approved equal, including fittings, painting, sleeves, supports, hangers and oher miscellaneous items as shown and as required to complete the system	6.00	l.m.					15%	10%	25%					
15.8	Others SUBTOTAL COST:					 51									
L	I SUBTOTAL COST:			-	I	 r -		I		I		I	I	I	L

XVI.	ELECTRIC	• • • •													-				
16.1	Wires, con		unhing ing					1	r		1					1	1	1	1
16.1	Wires, con Panel boar					1.00							15%	10%	25%	1			
16.1.1	Panel boar Main CB 9					1.00	set	l	l				15%	10%	25%	 			
16.1.2	Main CB 9 30 AT Circl		, IP, 230V			1.00	set set						15%	10%	25%				
													15%	10%	25% 25%				
16.1.4	20 AT Circi 15mm diar					4.00	set						15%	10%	25%				
16.1.5						36.00	lengths												
16.1.6	32mm diar					4.00	lengths						15%	10%	25%				
16.1.7		MT Coupling				10.00	pcs						15%	10%	25%				
16.1.8		MT Connec				10.00	pcs						15%	10%	25%				
16.1.9		neter flexibl		duit		28.20	l.m.						15%	10%	25%				
16.1.10		MT Coupling				100.00	pcs						15%	10%	25%				
16.1.11		MT Connec				80.00	pcs						15%	10%	25%				
16.1.12		exible Meta				120.00	pcs						15%	10%	25%				
16.1.13	4" x 4" x 2" Cover	Octagonal E	Box, Gauge	16, Zinc-Ch	nromate with	47.00	sets						15%	10%	25%				
16.1.14	2" x 4" Utilit	y Box, Gaug	e 16, Zinc-(	Chromate		28.00	sets						15%	10%	25%				
16.1.15	22mm <sup>2</sup> TH					30.00	l.m.						15%	10%	25%				
16.1.16	5.5mm² TI					100.00	l.m.						15%	10%	25%				
16.1.17	3.5mm <sup>2</sup> TI					450.00	I.m.						15%	10%	25%				
16.1.18	Electrical ta					20.00	rolls						15%	10%	25%				
16.1.19	Telephone					10.00	l.m.						15% 15%	10%	25%	 			
16.2	Fixtures an												15%	10%					
16.2.1	(Owner Su	pplied Mate	rial)	ht lighting fo		27.00	sets						15%	10%	25%				
16.2.2	panel			nlight lightin	5	14.00	sets						15%	10%	25%				
16.2.3	2 gang wid	e series sing	gle-way swit	ch with cove	er	5.00	sets						15%	10%	25%				
16.2.4				ch with cove	er	4.00	sets						15%	10%	25%				
16.2.5	Duplex Cor					14.00	sets						15%	10%	25%				
16.2.6 16.2.7	Single Con	venience O oof duplex c	utiet			3.00	sets						15%	10%	25% 25%				
16.2.7	Weather pr Telephone		utiet			1.00	sets sets						15%	10%	25% 25%				
16.2.0		utlet for Soe	cial Durnon	o Urano		6.00	sets						15%	10%	25%				
16.2.10		emergency				3.00	sets						15%	10%	25%				
10.2.10	neavyouty	ennergency	light lixture		TAL COST:	3.00	Sets						1376	1076	2376				
					TAL COST:														
				GRAND TU	JTAL COST:														
NOTE:																			
-	All of the second		a hia at fa		-h				to at fact waters line	. In all to all fermion	and the second data	ting for waterproofed							
												ting for waterproofed all issue a certificate of		6					
									ce to the owner or n proiect completi		ss testing and shi	an issue a certificate o	or completion	tor every tes	ts.				
											a sector at					-			
									lerations pertaining pect all utilities to l							-			
5.	opon clós	ing of walls	ano ceiliñ	ys, me cor	nactor sriâli	nnom me	cirent or th	e uesigner 10 ins	peccali utilites 10 l	e maaen within t	e salo cavidés.					-			
Submitted by:																-			
Submitted by:																			
-	-																		
	-															-			
																-			
	-																		
1																			

	and Management Office													
	LT300 Unit 18N Condominium U	nit Renovation												
PROJECT LOCATION :	Unit 18N, Legaspi Tower 300, 2600	Ocampo St., Malate, Manila, 1004 Metro Mani	la											
SUBJECT : CONTRACTOR :	Furniture and Fixtures Bid Form													
DATE:														
ITEM NO.	IMAGE REFERENCE	DESCRIPTION	QTY.	UNIT	UNIT COST	ESTIMATED DIRECT COST	MARK-UPS OCM	IN PERCENT PROFIT	TOT/ %	AL MARK-UPS VALUE	VAT	TOTAL INDIRECT COST	TOTAL COST	UNIT COST
L	DORMITORY ROOM	Mandauefoam Rylan Double Deck Metal Bed			1									
		Overall dimensions: L199.5 x W99 x H159cm												
		Mattress Size: 36" x 75" Headboard and footboard: 50mm dia. round metal tube												
	11970	post with 25mm and 16mm diameter round metal tube in black powder coated finish frames and supports.												
1.1		Side Rail: 25mm x 50mm x 1.0mm thick rectangular	3.00	sets			12%	12%	24%					
	1,000	metal tube black powder coated finish.												
	•	Bed Base: 25mm x 25mm x 1.0mm thick rectangular metal tube mesh frame with 3.8mm diameter solid wire												
		mesh in black powder coated finish. Net weight: 36.6 kgs												
		Mandauefoam Flex Foam Mattress												
		Overall Dimensions: Single 3" x 36" x 75" Polyurethane foam with a density of 31 kg/cu.m.												
1.2		Comes with 80 gsm brushed poly cotton cover with flex foam print	6.00	pcs			12%	12%	24%					
		10 year warranty against sagging and production defects												
		Mandauefoam Sydney 1 Door Dresser												
		Overall Dimensions: W48 x D47 x H180cm Color: Walnut (7007-11)												
		15mm thick particle board laminated with amino paper												
1.3	all and	veneer with 3mm thick MDF back board and 16 inches metal drawer guide	6.00	pcs			12%	12%	24%					
		19mm diameter steel tube hanger rod in powder coated 128mm plastic handle												
		Net weight: 36.5 kgs												
	The second second	Mandauefoam Genna Nightstand Overall dimensions: W39.5 x D32 x H50cm												
		Color: Walnut with Black powder coated metal												
1.4		15mm thick E2 grade particle board laminated with paper veneer with 3mm thick MDF backboard	3.00	pcs			12%	12%	24%					
		Metal mesh door in 20x10mm hole size and 20 x 20 x												
	, m. /	0.7mm thick metal leg in powder coated finish Net weight: 9 kgs												
		Mandauefoam Samar Desk - Dark Walnut Overall dimensions: W74 x D48 x H146.5cm												
		Desktop height: 76cm Color: Shelf panels - Dark walnut (6515) and metal												
		members - powder coated black												
1.5		15mm thick particle board laminated with PVC vinyl shelf panels.	3.00	pcs			12%	12%	24%					
		30 x 20 x 0.6mm thick rectangular metal tube in powder												
	a.	coated finish frames Normal drawer side mechanism												
		Net weight: 17 kgs												
		Mandauefoam Colt Chair												
		Overall dimension: W46.5 x D50.5 x H83cm Seat Height: 44cm												
	<b></b> .	Material: Plastic: White (90290) or Black (3010)												
1.6	Hillom Seat Ht:	Wood: Natural	3.00	pcs			12%	12%	24%					
		Polyprophelene (Pp) plastic seat and backrest in injection molding process												
	DSD.Som W46.Som	womm drameter tapered beechwood legs in naturar inism with 10mm diameter solid iron leg support in powder												
		Costed finish Net weight: 3.7 kgs												
	LIVING AND DINING AREA	Mandauefoam Ghost 6-8 Extension Table												
	Witcm W250cm D90cm	Overall dimensions: Close - W150 x D90 x H75cm Overall dimensions: Open - W195 x D90 x H75cm												
2.1		Walnut 18mm thick E2 grade MDF board laminated with walnut	1.00	рс			12%	12%	24%					
		veneer 60 x 60 x 730mm solid rubber wood leg in AC lacquered		20				/						
	• <u>6-8 seater</u>	finish												
	-	Net weight: 43 kgs Mandauefoam Britta Chair												
		Overall dimensions: 36.5cm W x 40cm D x 91cm H Seat Height: 46.8cm												
2.2		Wood: Walnut Fabric: Light Grey	7.00	sets			12%	12%	24%					
		52mm thick new foam covered with polyester fabric seat												
		and AC rubberwood frame and legs Net weight: 10.4 kgs												
		Mandauefoam Aramis Shoe Cabinet - PA14 Brown Overall dimensions: W68 x D32 x H100cm									_			
		Color: Brown (PA14)												
1.1		Carcass: 16mm thick particle board laminated with paper veneer	1.00	set			12%	12%	24%					
		Door: 16mm x 50mm MDF board as frame with 5mm thick slats décor laminated with paper veneer												
		Handle: 96mm x 12mm PVC plastic												
		Net weight: 22 kgs			I				l					

Note:       Note: <th< th=""></th<>
12     Image: Diverse large of 4 correct lar
$\begin{array}{c c c c c c c c c c c c c c c c c c c $
3.4         Mark discretion         Design discretion         1.0         K         1.2         K         1.2         K         2.5         1.5         2.5           3.3         Mark discretion         1.0         K         1.0         K         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2.5         1.5         2
3.5         Dead status Within ADBan (Within ADBan (Wi
3.5     Joint of markets (More ACT and M
IV.     No.     IV.
4.1       Image: Constrained and the long of cloims 490 mm (2000m + 172 mm) (2000m +
5.1       Image: Constraint Sign 4857-44W 56x70cm Webs Frame PC Frame 2mm faithing, hanges, constraints, hanges, and and the state PC Frame 2mm faithing, hanges, constraints, hanges,
5.1       PEF Franz 2mm Bat mirror, WDP board backing, hangers, and cathing, water, make cathing       1.00       pc       12%       12%       12%       24%         5.2       Image: Contract protection, shirting, water, make cathing       1.00       pc       12%       12%       12%       24%         5.2       Image: Contract protection, shirting, water, make cathing       1.00       pc       12%       12%       24%       Image: Contract protection, shirting, water, make cathing       Image: Contract protection, shirtin
5.2       or equivalent       1.00       pc       12%       12%       12%       24%         5.3       or equivalent       0       pc       1.00       pc       12%       12%       24%         5.3       or equivalent       0       pc       1.00       pc       12%       12%       24%         5.3       or equivalent       0       pc       12%       12%       24%       0       0         5.3       or equivalent       0       pc       1.00       pc       12%       12%       24%       0       0         5.3       or equivalent       1.00       pc       12%       12%       24%       0       0       0         5.3       or equivalent       1.00       pc       12%       12%       24%       0       <
M.         OTHERS           6.1         Jorganiant Subartities (clear and blackout) 100% poylesist material with 1 month warranty         65.00         sq.t.         12%         12%         24%
6.1         Image: Morean combination blinds (clear and blackout) 100% polysets/material complex with nonth warranty         65.00         sq.t.         12%         12%         24%
6.1     100% poyesser material with 1 month warranty     65.0     sq.8.     12%     12%     24%
TOTAL COST:
NOTES:
1.0 The above methode doubling are included set and they or waterbourks to project alle. 2.0 The above methode doubling are included set above that alle.
3.0 At limiters are to be throwered and added to inspection prior to accessionce in the event of dampees and unconsolible quality. Be owner has the right to demand a replacement for the said furthers.
Submitted by:

Privatization	and Management Office														
PROJECT TITLE	LT300 Unit 18N Condominium U	nit Renovation													
PROJECT	Unit 18N, Legaspi Tower 300, 2600	1													
LOCATION : SUBJECT :	ANTON .														
CONTRACTOR : DATE:															
DAIL.															
ITEM	IMAGE REFERENCE	DESCRIPTION		QTY.	UNIT	UNITCOST	ESTIMATED DIRECT COST	MARK-UPS	IN PERCENT PROFIT	TOTA	AL MARK-UPS	VAT	TOTAL INDIRECT	TOTAL COST	UNIT COST
NO. I.	DORMITORY ROOM						DIRECTOUST	UCM	PROFIL	76	VALUE		COST		
1.1	-	Samsung Art13T WHEWKNTC 2 20 hp Basic Inverter Wild Mounted Split AR5500T Basic Inverter Sinverter   Digital Inverter Boost  Digital Inverter Boost  D		1.00	set			12%	12%	24%					
12		Split-type installation and piping works inclusive of wires, pipes, insulations and requirements and consumables, installation of outdoor unit complete with per manufacturer's standards. 1 year warranty on labor and installation	n steel brackets as	1.00	set			12%	12%	24%					
11.	LIVING AND DINING AREA	Samsung UA32N4300	1												
2.1		32 inch, HD Ready, Smart TV 46.54cmH x 73.74cmL x 15.05cmW LED Display Panel Clean view, Game mode Clean view, Game mode basic Digital TV ISDB-T Motion Rate: 60 J year waranty		1.00	set			12%	12%	24%					
22	X	Perfect View NB SP500/P5 Full motion wall mounted screen brack 6 swing arms	et	1.00	sets			12%	12%	24%					
III.	KITCHEN EQUIPMENT AND APPLIANCES														
3.1	Î	Sharp SJ-VI.708P-SL 65 C u.H. two door inverter type refrigerat manual defrost Slim Durable LED lamp Deep freezer Uses R-600a refrigerant	tor and freezer,	1.00	sets			12%	12%	24%					
32		Hamden AD-PFS302X-E 30cm 2 Electr Plate Stainless Steel Hobs Built-in stainless steel Hotplate 1 - 2.0kW Hote plate 2 - 1.5kW		1.00	set			12%	12%	24%					
3.3		Hamden AD-HSM101 (A-600mm) 60cm Rangehood 1 motor Wall mounted Stainless Steel Finish With fitter screen		1.00	set			12%	12%	24%					
3.4		Whirlpool MWX 201 XEB 20 Liters, Microwave oven 27 9cmH x 31.8cm L x 45.7cmW Mechanical control Variable cooking levels Defrost function Kyowa KW 1226		1.00	рс			12%	12%	24%					
3.5	B	Kyowa KW 1228 10 cups, clife maker 10 cups' 12 capacity 900 wats 230 vots 230 vots Anti-drip functions Long life permanent filter Heat resistant glass carafe Rem catle accessories for easy cleani 1 year limited warranty on parts, lifetime and service		1.00	рс			12%	12%	24%					

	- F											
	2.2	Kyowa KW-1500										
		Hot and cold water dispenser										
		550 watts										
3.6		Temperature selection	1.00	рс			12%	12%	24%	 	 	
		Anti-slip faucet handles										
	1 13	Independent fire heat alarm & security horn 12VDC Heat alarm features										
	12 - 1											
		Flash alarm indicator (Red) - self-test function - low										
		battery signal and safety clip feature										
	G	High stability and reliability - Loud 85dB alarm signal										
		12V power source; relative humidity- 10%-95%										
		Operating Current: <100uA (Standby) and 10-15mA						1				
		(Alarm working) Horn level: 95dB within 1 meter										
		nom ovar. Soub within i medel						1				
IV.	EXECUTIVE ROOM	1			I			l				
		Samsung AR12T YHYEWKNT C										
		1.5 hp Basic Inverter Wall Mounted Split-type										
		AR5500T Basic Inverter						1	24%			
		S-Inverter Digital Inverter Boost										
	-	Fast Cooling Mode					12%					
4.1		Triple protector plus Durafin tm	1.00	set			12%	12%	24%			
		Quiet mode										
		Single user mode R32 Refrigerant										
		1 year warranty on parts and labor, 10 years on comp.										
		Split-type installation and piping works Inclusive of wires, pipes, insulations and other material										
		requirements and consumables. Installation of outdoor unit complete with steel brackets as										
4.2		Installation of outdoor unit complete with steel brackets as per manufacturer's standards.	1.00	set			12%	12%	24%			
		per manufacturer's standards. 1 year warranty on labor and instalaltion										
		Samsung UA32N4300										
	ANNI PERSONAL	32 inch, HD Ready, Smart TV 46.54cmH x 73.74cmL x 15.05cmW										
4.3	ALCON ASTIMU	LED Display Panel	1.00				12%	12%	24%			
4.3		Connect share movie	1.00	set			12%	12%	24%			
	Contraction of the local division of the loc	Clean view, Game mode basic Digital TV ISDB-T										
	CONTRACTOR OF THE OWNER OF THE	Motion Rate: 60 1 year warranty										
V.	BATHROOM											
		Panasonic DH3HS2P Single point water heater with shower head										
L		Single point water heater with shower head 3.5kW Power control			L	<u> </u>				 		
		Power control 3-way Anti-bacterial shower plate										
	- + <u>è</u>	Single water mesh filter for easy maintenance										
5.1		Built-in ELCB Thermal cut-out water sensor	1.00	set			12%	12%	24%			
			1.00	201								
	1 f f	Flow valve sensor heater automatically switches "off"						1				
		when there's no water supply										
		1 year warranty										
И.	GENERAL				I							
VI.	OLINLAAL											
	Conner.	Panasonic SH28453911 Noise level at 87dB at a distance of 1m						1				
		Noise level at 8/dB at a distance of 1m Noise level at 8/dB at a distance of 40m Battery life up to 10 years, 3V Lithium										
6.1			5.00	sets			12%	12%	24%			
	191	Sends an automatic alarm every 40 seconds when the										
		battery is low										
		TOTAL COST:										
NOTES:												
2.0	The above mentioned costing are inclusive of deliver The above mentioned costing are inclusive of assemt	olv and labor costatsile.										
3.0	All equipment and appliances are to be turnovered a	nd subject to inspection prior to acceptance; in the event of damages ar	nd unacceptat	ole quality, th	e owner has the righ	t to demand a replacem	ent for the said u	inits.				
	rine consector snail prinover any warranty certificate	and manual for the delivered equipment and appliances to the end use	o.									
Submitted by:												

# Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

#### CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, *viz*.:
  - a. Philippine Bidding Documents (PBDs);
    - i. Drawings/Plans;
    - ii. Specifications;
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract;
    - v. Supplemental or Bid Bulletins, if any;
  - **b.** Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract

#### execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity] for:

[Insert Name and Signature] for:

[Insert Procuring Entity]

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

## **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_ ) S.S.

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful
  performance by the supplier/distributor/manufacturer/contractor/consultant of its
  obligations under the Contract, I/we shall submit a Performance Securing Declaration
  within a maximum period of ten (10) calendar days from the receipt of the Notice of
  Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any
  procurement contract with any procuring entity for a period of one (1) year for the first
  offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting
  Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

####